

**FERRAMOL:** Reg No. L7058 Act 36 of 1947

**Organic rainfast pellets contains Iron Phosphate**

**DIRECTIONS FOR USE:** (use only as directed)

The pellets should be scattered on the soil around or near the plants to be protected. Do not place in piles. If the ground is dry, wet it before applying the bait. The soil should be moist, but with little or no standing water. Re-apply as the bait is consumed, or at least every three weeks. Apply more regularly if the area is heavily watered, or after long period of heavy rain. Apply 5 g or about 1 level teaspoon per square metre. Evening is the best time to apply the bait, as slugs and snails travel and feed mostly by night or in the early morning.

**FERRAMOL:** Reg No. L7058 Act 36 of 1947

**Organic rainfast pellets contains Iron Phosphate**

**GEBRUIKSAANWYSINGS:** (Gebruik slegs soos aangedui.)

Die pille/korrels moet om of naby die plante wat beskerm moet word, gestrooi/gegooi word. Moenie in hopies plaas nie. Indien die grond droog is, maak dit nat voordat aas/lokaas toegedien word. Die grond moet klam wees, maar daar moet min of geen staande water wees nie. Dien weer toe wanneer die aas opgeëet is, of ten minste elke drie weke. Dien meer gereeld toe as die area baie nat gegooi word, of na reën.

Dien 5g of omtrent een gelyke teelepels per vierkante meter toe. Die beste tyd vir toediening van die aas is in die aand, aangesien naakslakke en slakke meestal snags of in die vroeë oggend rondbeweeg en vreet/eet.